



# H3C SecPath F100-C-G3

# Next Generation Firewall

Release Date: May,2020



# H3C SecPath F100-C-G3 Next Generation Firewall

## Product Description

H3C SecPath F100-C-G3 is a 100M / Gigabit firewall VPN integrated gateway product for the distribution market. The hardware is based on a multi-core processor architecture and is a 1U independent box firewall. In terms of security functions, as an NGFW product, it not only supports firewall security functions such as security control, VPN, NAT, DOS / DDOS defense, but also integrates IPS, AV, application control, DLP, URL classification and custom filtering. And other deep security defense functions, which helps to realize multi-dimensional policy control functions based on users, applications, time, security status, etc.



H3C SecPath F100-C-A3 NGFW

## Highlights

### Advanced network security platform

- The F100 series uses advanced 64-bit multi-core processors and caches.

### Carrier-level high availability

- Uses H3C proprietary software and hardware platforms that have been proven by Telecom carriers and small- to medium-sized enterprises.
- Supports H3C SCF, which can virtualize multiple devices into one device for unified resources management, service backup, and system performance improvement.

### Powerful security protection

- **Attack protection**—Detects and prevents various attacks, including Land, Smurf, Fraggle, ping of death, Tear Drop, IP spoofing, IP fragment, ARP spoofing, reverse ARP lookup, invalid TCP flag, large ICMP packet, IP/port scanning, and common DDoS attacks such as SYN flood, UDP flood, DNS flood, and ICMP flood.
- **SOP N:1 virtualization**—Uses the container-based virtualization technology. An F100 series firewall can be virtualized into multiple logical firewalls, which have the same features as the physical firewall. Each virtual firewall can have its own security policy and can be managed independently.
- **Security zone**—Allows you to configure security zones based on interfaces and VLANs.
- **Packet filtering**—Allows you to apply standard or advanced ACLs between security zones to filter

packets based on information contained in the packets, such as UDP and TCP port numbers. You can also configure time ranges during which packet filtering will be performed.

- **Access control**—Supports access control based on users and applications and integrates deep intrusion prevention with access control.
- **ASPF**—Dynamically determines whether to forward or drop a packet by checking its application layer protocol information and state. ASPF supports inspecting FTP, HTTP, SMTP, RTSP, and other TCP/UDP-based application layer protocols.
- **AAA**—Supports authentication based on RADIUS/HWTACACS+, CHAP, and PAP.
- **Blacklist**—Supports static blacklist and dynamic blacklist.
- NAT and VRF-aware NAT.
- **VPN**—Supports L2TP, IPsec/IKE, GRE, and SSL VPNs. Allows smart devices to connect to the VPNs.
- **Routing**—Supports static routing, RIP, OSPF, BGP, routing policies, and application- and URL-based policy-based routing.
- **Security logs**—Supports operation logs, zone pair policy matching logs, attack protection logs, DS-LITE logs, and NAT444 logs.
- Traffic monitoring, statistics, and management.

## Flexible and extensible, integrated and advanced DPI security

- Integrated security service processing platform—Highly integrates the basic and advanced security protection measures to a security platform.
- Application layer traffic identification and management.
  - Uses the state machine and traffic exchange inspection technologies to detect traffic of P2P, IM, network game, stock, network video, and network multi-media applications, such as Thunder, Web Thunder, BitTorrent, eMule, eDonkey, WeChat, Weibo, QQ, MSN, and PPLive.
  - Uses the deep inspection technology to identify P2P traffic precisely and provides multiple policies to control and manage the P2P traffic flexibly.
- Highly precise and effective intrusion inspection engine—Uses the H3C-proprietary Full Inspection with Rigorous State Test (FIRST) engine and various intrusion inspection technologies to implement highly precise inspection of intrusions based on application states. The FIRST engine also supports software and hardware concurrent inspections to improve the inspection efficiency.
- Realtime virus protection—uses the stream-based antivirus engine to prevent, detect, and remove malicious code from network traffic.
- Categorized filtering of massive URLs—uses the local+cloud mode to provide 139 categorized URL libraries and support over 20 million URL filtering rules, provides basic URL filtering blacklist and whitelist and allows you to query the URL category filtering server on line.

- Complete and updated security signature database—H3C has a senior signature database team and professional attack protection labs that can provide a precise and up-to-date signature database.

## Industry-leading IPv6 features

- IPv6 stateful firewall.
- IPv6 related attack protection.
- IPv6 data forwarding, IPv6 static routing and dynamic routing, and IPv6 multicast.
- IPv6 transition technologies, including NAT-PT, IPv6 over IPv4 GRE tunnel, manual tunnel, 6to4 tunnel, automatic IPv4-compatible IPv6 tunnel, ISATAP tunnel, NAT444, and DS-Lite.
- IPv6 ACL and RADIUS.

## Next-generation multi-service features

- Integrated link load balancing feature—Uses link state inspection and link busy detection technologies, and applies to a network egress to balance traffic among links.
- Integrated SSL VPN feature—Uses USB-Key, SMS messages, and the enterprise's existing authentication system to authenticate users, providing secure access of mobile users to the enterprise network.
- Data leakage prevention (DLP)—Supports email filtering by SMTP mail address, subject, attachment, and content, HTTP URL and content filtering, FTP file filtering, and application layer filtering (including Java/ActiveX blocking and SQL injection attack prevention).

## Intelligent management

- Intelligent security policy management—Detects duplicate policies, optimizes policy matching rules, detects and proposes security policies dynamically generated in the internal network.
- SNMPv3—Compatible with SNMPv1 and SNMPv2.
- CLI-based configuration and management.
- Web-based management, with simple, user-friendly GUI.
- H3C IMC SSM unified management—Collects and analyzes security information, and offers an intuitive view into network and security conditions, saving management efforts and improving management efficiency.
- Centralized log management based on advanced data drill-down and analysis technology—Requests and receives information to generate logs, compiles different types of logs (such as syslogs and binary stream logs) in the same format, and compresses and stores large amounts of logs. You can encrypt and export saved logs to external storage devices such as DAS, NAS, and SAN to avoid loss of important security logs.
- Abundant reports—Include application-based reports and stream-based analysis reports.



- Various exported report formats—Include PDF, HTML, word, and txt.
- Report customization through the Web interface—Customizable contents include time range, data source device, generation period, and export format.

## Specifications

Item	F100-C-G3
Dimensions (W × D × H)	440mm×435mm×44.2mm
USB	2
Power Supply	2 AC fixed
Ports	1 × console port (CON) 8 × Gigabit Ethernet fiber ports 2 × GE Bypass 2 × Combo
Temperature	Operating: 0°C to 45°C (32°F to 113°F) Storage: -40°C to +70°C (-40°F to +158°F)
Operation modes	Route, transparent, and hybrid
AAA	Portal authentication, RADIUS authentication, HWTACACS certification, PKI / CA (X.509 format) certification, Domain authentication, CHAP authentication, PAP authentication
Firewall	SOP virtual firewall technology, which supports full virtualization of hardware resources, including CPU, memories, and storage Security zone allocation Protection against malicious attacks, such as land, smurf, fraggle, ping of death, teardrop, IP spoofing, IP fragmentation, ARP spoofing, reverse ARP lookup, invalid TCP flag, large ICMP packet, address/port scanning, SYN flood, ICMP flood, UDP flood, and DNS query flood Basic and advanced ACLs Time range-based ACL User-based and application-based access control



	<p>ASPF application layer packet filtering</p> <p>Static and dynamic blacklist function</p> <p>MAC-IP binding</p> <p>MAC-based ACL</p> <p>802.1Q VLAN transparent transmission</p>
Antivirus	<p>Signature-based virus detection</p> <p>Manual and automatic upgrade for the signature database</p> <p>Stream-based processing</p> <p>Virus detection based on HTTP, FTP, SMTP, and POP3</p> <p>Virus types include Backdoor, Email-Worm, IM-Worm, P2P-Worm, Trojan, AdWare, and Virus</p> <p>Virus logs and reports</p>
Deep intrusion prevention	<p>Prevention against common attacks such as hacker, worm/virus, Trojan, malicious code, spyware/adware, DoS/DDoS, buffer overflow, SQL injection, and IDS/IPS bypass</p> <p>Attack signature categories (based on attack types and target systems) and severity levels (including high, medium, low, and notification)</p> <p>Manual and automatic upgrade for the attack signature database (TFTP and HTTP).</p> <p>P2P/IM traffic identification and control</p>
Email/webpage/application layer filtering	<p>Email filtering</p> <p>SMTP email address filtering</p> <p>Email subject/content/attachment filtering</p> <p>Webpage filtering</p> <p>HTTP URL/content filtering</p> <p>Java blocking</p> <p>ActiveX blocking</p> <p>SQL injection attack prevention</p>
NAT	<p>Many-to-one NAT, which maps multiple internal addresses to one public address</p> <p>Many-to-many NAT, which maps multiple internal addresses to multiple public addresses</p> <p>One-to-one NAT, which maps one internal address to one public address</p> <p>NAT of both source address and destination address</p> <p>External hosts access to internal servers</p> <p>Internal address to public interface address mapping</p> <p>NAT support for DNS</p> <p>Setting effective period for NAT</p> <p>NAT ALGs for NAT ALG, including DNS, FTP, H.323, ILS, MSN, NBT, PPTP, and SIP</p>
VPN	L2TP VPN



	<p>IPSec VPN</p> <p>GRE VPN</p> <p>SSL VPN</p>
IPv6	<p>IPv6 status firewall</p> <p>IPv6 attack protection</p> <p>IPv6 forwarding</p> <p>IPv6 protocols such as ICMPv6, PMTU, Ping6, DNS6, TraceRT6, Telnet6, DHCPv6 Client, and DHCPv6 Relay</p> <p>IPv6 routing: RIPng, OSPFv3, BGP4+, static routing, policy-based routing</p> <p>IPv6 multicast: PIM-SM, and PIM-DM</p> <p>IPv6 transition techniques: NAT-PT, IPv6 tunneling, NAT64 (DNS64), and DS-LITE</p> <p>IPv6 security: NAT-PT, IPv6 tunnel, IPv6 packet filter, RADIUS, IPv6 zone pair policies, IPv6 connection limit</p>
High availability	<p>SCF 2:1 virtualization</p> <p>Active/active and active/standby stateful failover</p> <p>Configuration synchronization of two firewalls</p> <p>IKE state synchronization in IPsec VPN</p> <p>VRRP</p>
Configuration management	<p>Configuration management at the CLI</p> <p>Remote management through Web</p> <p>Device management through H3C IMC SSM</p> <p>SNMPv3, compatible with SNMPv2 and SNMPv1</p> <p>Intelligent security policy</p>
Environmental protection	<p>EU RoHS compliance</p>

## Performance

Item	F100-C-G3
<b>Firewall Throughput (1518Bytes)</b>	600Mbps
<b>NGFW Throughput</b>	600Mbps
<b>NGFW+IPS</b>	500Mbps
<b>NGFW+IPS+AV</b>	400Mbps

Maximum concurrent sessions	500,000
Maximum New Connections per second	10K
Free SSL-VPN License	100
Concurrent SSL-VPN Users	1K

## Ordering Information

### 1) Host

Item	Quantity	Remarks
F100-C-G3	1	Essential

### 2) Hard Disk

Item	Description	Quantity	Remarks
Hard Disk	2.5 inch 500G SATA /2.5 inch 480G SSD	1	Optional



The Leader in Digital Solutions

#### New H3C Technologies Co., Limited

Beijing Headquarters  
 Tower 1, LSH Center, 8 Guangshun South Street, Chaoyang  
 District, Beijing, China  
 Zip: 100102

Hangzhou Headquarters  
 No.466 Changhe Road, Binjiang District, Hangzhou, Zhejiang,  
 China  
 Zip: 310052  
 Tel: +86-571-86760000

Copyright ©2020 New H3C Technologies Co., Limited Reserves all rights

Disclaimer: Though H3C strives to provide accurate information in this document, we cannot guarantee that details do not contain any technical error or printing error. Therefore, H3C cannot accept responsibility for any inaccuracy in this document. H3C reserves the right for the modification of the contents herein without prior notification

<http://www.h3c.com>