

Product datasheet

Specifications



21W Type A + Type C, PD+QC3.0 USB Charger, White

E8232ACQUSB_WE

! Discontinued on: 30 June 2023

! Discontinued

Main

Range	Pieno
Product or component type	USB charger
Device application	Charger
Fixing mode	Screw

Complementary

Device mounting	Flush
Device presentation	Mechanism
Colour tint	White
Surface finish	Glossy
Surface treatment	Polished
Number of modules	1 module 54.8 x 51.5 x 38.7 mm
Quantity per set	1 set
Condition of use	Room temperature
Ambient air temperature for storage	-5...60 °C
Relative humidity	0...90 %
[Ue] rated operational voltage	100/240 V 50/60 Hz
Power consumption in W	21 W
Integrated connection type	2 USB port 5 V, maximum load current: 3 A USB port 9 V, maximum load current: 2 A USB port 12 V, maximum load current: 1.5 A USB port 5 V, maximum load current: 2.1 A
Material	PC (polycarbonate): surround PC (polycarbonate): grid plate PC (polycarbonate): housing PC (polycarbonate): cover
Shape of screw head	Cross
Number of terminals	2 screw terminals
Clamping connection capacity	2.5 mm ² for stranded cable(s) 2.5 mm ² for solid cable(s) 1.5 mm ² for stranded cable(s) 1.5 mm ² for solid cable(s)

Wire stripping length	8 mm
Product compatibility	HTC XiaoMi Apple Samsung HW Major smart phone and tablet
Standards	MS IEC 60950-1 IEC 60950-1 IEC 62368-1 IEC 61558-2-16
Height	87 mm
Width	87 mm
Depth	38.3 mm
Embedding depth	28.85 mm
Product weight	0.1221 kg

Environment

Product certifications	IEC
IP degree of protection	IP20
Environmental characteristic	Liquid soap Alcohol Petrol

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	4 cm
Package 1 Width	8.7 cm
Package 1 Length	8.7 cm
Package 1 Weight	128 g
Unit Type of Package 2	CAR
Number of Units in Package 2	8
Package 2 Height	9.5 cm
Package 2 Width	15 cm
Package 2 Length	19 cm
Package 2 Weight	1.024 kg
Unit Type of Package 3	PAL
Number of Units in Package 3	1600
Package 3 Height	110 cm
Package 3 Width	80 cm
Package 3 Length	120 cm
Package 3 Weight	226.8 kg

Offer Sustainability

REACH Regulation	REACH Declaration
REACH free of SVHC	Yes
EU RoHS Directive	Compliant EU RoHS Declaration

Toxic heavy metal free	Yes
Mercury free	Yes
China RoHS Regulation	China RoHS declaration Pro-active China RoHS declaration (out of China RoHS legal scope)
RoHS exemption information	Yes

Recommended replacement(s)