

21W Type A + Type C, PD+QC3.0 USB Charger, White

E8432ACQUSB_WE

① Discontinued on: 30 June 2023

① Discontinued

Main

Range	ZENcelo
Product or component type	USB charger
Device application	Charger
Colour tint	White
Quantity per set	1 set
Number of terminals	2 screw terminals

Complementary	
Device mounting	Flush
Range compatibility	ZENcelo
Surface finish	Glossy
Surface treatment	Polished
Number of modules	1 module 54.8 x 51.5 x 38.7 mm
Fixing mode	Screw
[Ue] rated operational voltage	100/240 V AC 50/60 Hz
Power consumption in W	21 W
Integrated connection type	2 USB port, maximum load current: 3 A
Material	PC (polycarbonate): surround PC (polycarbonate): grid plate PA (polyamide) 6: housing Silicone rubber: cover
Shape of screw head	Cross
Clamping connection capacity	2.5 mm² for stranded cable(s) 2.5 mm² for solid cable(s) 1.5 mm² for stranded cable(s) 1.5 mm² for solid cable(s)
Wire stripping length	10 mm
Product compatibility	HTC XiaoMi Apple Samsung HW Major smart phone and tablet

Height

87.2 mm

Width	87.2 mm
Depth	38.3 mm
Embedding depth	30 mm
Product weight	0.1222 kg
Standards	MS IEC 60950-1 IEC 60950-1 IEC 62368-1 IEC 61558-2-16

Environment

Ambient air temperature for storage	-560 °C
Relative humidity	095 %
Product certifications	IEC
IP degree of protection	IP20
Environmental characteristic	Liquid soap Alcohol Petrol

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	4 cm
Package 1 Width	8.7 cm
Package 1 Length	8.7 cm
Package 1 Weight	128 g
Unit Type of Package 2	CAR
Number of Units in Package 2	8
Package 2 Height	9.5 cm
Package 2 Width	15 cm
Package 2 Length	19 cm
Package 2 Weight	1.024 kg
Unit Type of Package 3	PAL
Number of Units in Package 3	1600
Package 3 Height	110 cm
Package 3 Width	80 cm
Package 3 Length	120 cm
Package 3 Weight	226.8 kg

Offer Sustainability

REACh Regulation	REACh Declaration
REACh free of SVHC	Yes
EU RoHS Directive	Compliant EU RoHS Declaration
Toxic heavy metal free	Yes
Mercury free	Yes
China RoHS Regulation	China RoHS declaration

Recommended replacement(s)