

## See beyond the Game. Visualize your victory.

Inspired by the rigorous quality testing in the production of MSI MAG series, MSI MAG series' design is full of symbols of sturdiness and durability. Additionally, to provide quality user experience, MAG series has really simple installation process and a friendly user interface, and will be the best choice for entry level gamers to step into the game world.



### Selling Points

- 1000R Perfect Curved Screen - Perfectly fits the curvature of the human eye so that you can see the entire screen without any fatigue.
- Rapid Boost (165 + 1ms) - Experience smooth gaming with a blazing fast refresh rate and response time, that gives you the upperhand in fast moving games.
- Night Vision: See every detail clearly in the dark, helping you find and attack enemies before they notice.
- AMD FreeSync Premium Technology - Tear free, stutter free, fluid gaming.
- Anti-Flicker and Less Blue Light - game even longer and prevent eye strain and fatigue.
- Frameless design - Ultimate gameplay experience.
- 178° wide view angle.



Picture and logos: Pictures Monitor



1. 5-way joystick navigator
2. 1x DC Jack
3. 1x HDMI (1.4)
4. 1x HDMI (1.4)
5. 1x Display Port (1.2)
6. 1x Earphone out
7. 1x Kensington Lock

## Specification

<b>SKU Number</b>	0
<b>Color</b>	ID1/Black-Black
<b>Screen Size</b>	23.6" (60cm)
<b>Active Display Area (mm)</b>	521.395(H)x293.284(V)
<b>Curvature</b>	Curve 1000R
<b>Panel Type</b>	VA
<b>Resolution</b>	1920x1080 (FHD)
<b>Pixel pitch</b>	0.27156(H)x0.27156 (V)
<b>Aspect Ratio</b>	16:9
<b>Dynamic Refresh Rate technology</b>	FreeSync Premium
<b>Activated Range</b>	48Hz-165Hz
<b>HDR (High dynamic range)</b>	N/A
<b>SDR Brightness (nits)</b>	250
<b>Contrast Ratio</b>	3000:1
<b>DCR (Dynamic Contrast Ratio)</b>	10000000:1
<b>Signal Frequency</b>	56.8~186.8 KHz(H) / 30~165 Hz(V)
<b>Refresh Rate</b>	165HZ
<b>Response Time (MPRT)</b>	1ms(MPRT)
<b>Response Time (GTG)</b>	4ms
<b>Response Time (Tr + Tf)</b>	22ms
<b>View Angles</b>	178°(H)/178°(V)
<b>NTSC (CIE1976 area percentageoverlap)</b>	99.2%/85.5%
<b>NTSC (CIE1931 area percentageoverlap)</b>	84.6%/79.2%
<b>sRGB (CIE1976 area percentageoverlap)</b>	113.8%/97.9%
<b>sRGB (CIE1931 area percentageoverlap)</b>	119.5%/99.4%
<b>Adobe RGB (CIE1976 area percentageoverlap)</b>	97.5%/88.4%
<b>Adobe RGB (CIE1931 area percentageoverlap)</b>	88.6%/82.2%
<b>DCI-P3 (CIE1976 area percentageoverlap)</b>	90.6%/90.3%
<b>DCI-P3 (CIE1931 area percentageoverlap)</b>	88.1%/87.9%
<b>Rec.709 (CIE1976 area percentageoverlap)</b>	113.8%/97.9%
<b>Rec.709 (CIE1931 area percentageoverlap)</b>	119.5%/99.4%
<b>Surface Treatment</b>	Anti-glare
<b>Display Colors</b>	16.7M
<b>Color bit</b>	8 bits
<b>Note_DP</b>	1920 x 1080 (Up to 165Hz)
<b>Note_HDMI</b>	1920 x 1080 (up to 144Hz)
<b>Note_DVI</b>	N/A
<b>HDMI</b>	2
<b>HDMI version</b>	1.4b
<b>HDMI HDCP version</b>	1.4
<b>DisplayPort</b>	1
<b>DisplayPort version</b>	1.2
<b>DisplayPort HDCP version</b>	1.3
<b>Thunderbolt version</b>	NA
<b>Thunderbolt HDCP version</b>	NA
<b>USB Type C (DisplayPort Alternate)</b>	NA
<b>DVI</b>	NA
<b>D-Sub</b>	NA
<b>Mic-in</b>	NA
<b>Mic-in upstream</b>	N/A
<b>Headphone-out</b>	1
<b>Audio Combo</b>	NA
<b>USB 2.0 Type B</b>	NA
<b>USB 3.2 Gen 1 Type B</b>	NA
<b>Lock type</b>	Kensington Lock
<b>Power Type</b>	External Adaptor 20V 2.25A
<b>Power Input</b>	100~240V, 50/60Hz
<b>Adapter's KC safety Number</b>	SU10469-15001
<b>Power Cord Type</b>	C5
<b>QC Output</b>	NA
<b>QC Output Power</b>	NA
<b>PD Output</b>	NA
<b>PD Output Power</b>	NA



MONITOR  
**MAG ARTYMIS 242C**  
MAG ARTYMIS 242C

<b>Adjustment (Tilt)</b>	-5° ~ 20°
<b>Adjustment (Swivel)</b>	NA
<b>Adjustment (Height)</b>	NA
<b>Adjustment (Pivot)</b>	NA
<b>VESA Mounting</b>	100x100mm
<b>Frameless Design</b>	Yes
<b>Outer Carton Dimension (WxDxH) (mm)</b>	665 x 188 x 434
<b>Outer Carton Dimension (WxDxH) (inch)</b>	26.18 x 7.4 x 17.09
<b>Product Dimension with Stand (WxDxH) (mm)</b>	533.75 x 228.37 x 422.86
<b>Product Dimension with Stand (WxDxH) (inch)</b>	21.01 x 8.99 x 16.65
<b>Product Dimension without Stand (WxDxH) (mm)</b>	533.75 x 82.68 x 328.76
<b>Product Dimension without Stand (WxDxH) (inch)</b>	21.01 x 3.26 x 12.94
<b>Thunderbolt</b>	NA
<b>USB 2.0 Type A</b>	NA
<b>USB 2.0 Type C</b>	NA
<b>USB 3.2 Gen 1 Type A</b>	NA
<b>USB 3.2 Gen 1 Type C</b>	NA
<b>USB 3.2 Gen 2x2 Type C</b>	NA
<b>USB 3.2 Gen 2x2 Type A</b>	NA
<b>Card Reader</b>	NA
<b>Stand Dimension (WxDxH) (mm)</b>	474.85 x 228.37 x 266.23
<b>Stand Dimension (WxDxH) (inch)</b>	18.69 x 8.99 x 10.48
<b>Feature</b>	Gaming Mode 5 Ways Joystick Navigator Control Frameless design FreeSync
<b>Inside Carton Dimension (WxDxH) (mm)</b>	650 x 173 x 409
<b>Inside Carton Dimension (WxDxH) (inch)</b>	25.59 x 6.81 x 16.1
<b>Weight (Net kg)</b>	3.77
<b>Weight (Gross kg)</b>	5.7
<b>DisplayPort Cable</b>	1
<b>HDMI Cable</b>	1
<b>DVI Cable</b>	0
<b>USB Type A to Type B Cable</b>	0
<b>USB Type C to Type A Cable</b>	0
<b>USB Type C to Type C Cable</b>	0
<b>Thunderbolt Cable</b>	0
<b>VGA Cable</b>	0
<b>3.5mm audio Cable</b>	0
<b>3.5mm combo audio Cable</b>	0
<b>Warranty</b>	36M
<b>Power Cord</b>	1
<b>AC Adaptor</b>	1
<b>Quick Guide</b>	1
<b>Warranty Card</b>	1
<b>EAN</b>	4719072767594