

## MAG META S 5th

MAG META S 3SI-019XIB

# **PATH TO THE FUTURE**

The META S is a slick and compact gaming desktop that equips with the AMD Ryzen. AMD Ryzen processor and the NVIDIA® GeForce® GTX 16 Series graphics cards. When you need a portable desktop to a Lan Party or looking for a powerful PC to tackle any level of gaming, the META S is built for every gamer.



### **Selling Points**

- Windows 10 Home
- Up to AMD Ryzen 5 5600X processor
- Up to NVIDIA® GeForce® GTX 1660 Super™
- MSI's LED Button Unlock all RGB lighting effects to personalize your gaming RIG
- Easy to upgrade with standard MSI components and case
- High-Efficiency CPU Cooler Deliver maximum heat dissipation.



Picture and logos

### System I/O-Ports





- 1. 1x USB 3.2 Gen1 Type A
- **2.** 1x Mic-in
- 3. 1x Headphone-out
- 4. 1x USB 3.2 Gen1 Type A
- **5.** 1x HDMI out (1.4)
- 6. 1x DVI-D out
- **7.** 2x PS/2
- 8. 4x USB 3.2 Gen 1 Type A
- **9.** 1x RJ45/ 2x USB 2.0
- 10. 3x Audio jacks



#### SOBREMESA

## MAG META S 5th

MAG META S 3SI-019XIB

### **Specification**

Operating Systems	Operating Systems	N/A
- p	CPU Number	AMD Ryzen 5 3600
	CPU Clock	3.6 GHz
Processor	CPU Cores	6
	TDP	65W
	Cache	3MB
	Threads	12
	CPU Cooler	Air cooling 65W
Chipset	Chipsets	A520
Cilipset	VGA IO Port	DL-DVI-D,HDMI,DP,EP8
Graphics	VGA MKT Name	GeForce GTX 1660 SUPER AERO ITX
Crapines	GPU1 VRAM Size	6G
	Memory Size	8GB(8GB*1)
	Memory Type	DDR4 SDRAM
	Memory Speed	1600(3200)MHz
Memory	Module Type	U-DIMM
	Memory Slot(Total)	2
	Memory Slot(Free)	1
	Max Capacity	Max 64GB
	SSD Interface	PCIe GEN3x4 w/o DRAM NVMe
	SSD Form Factor	M.2-2280 M-KEY
	SSD Config	512GB*1
	SSD Size	512GB
	HDD1 Interface	N/A
	HDD1 Form Factor	N/A
	HDD1 Size	N/A
STORAGE	HDD1 RPM	N/A
STURAGE	ODD(Type)	N/A
	ODD Height	N/A
	ODD Type	N/A
	M.2 slots(Total)	1
	M.2 slots(Free)	0
	2.5" Drive Bays(Total)	1
	2.5" Drive Bays (Free)	1
	LAN	Realtek RTL8111H
	WLAN	INTEL/3168.NGWG
Communications	WLAN Version	802.11ac 1x1+BT
	BT Version	4.2
	Audio Chipset	Realtek ALC892
Audio	Audio Cripset Audio Type	7.1 Channel HD Audio
	Thunderbolt	N/A
I/O Ports (Front)	USB 3.2 Gen 1 Type A	2
	Audio Mic-in	1
	Audio Headphone-out	1
	USB 3.2 Gen 1 Type A (R)	4
	USB 2.0 Type A (R)	2
	RJ45	1
	WiFi Antenna	N/A
	HDMI out	1x (v1.4)
I/O Ports (Rear)	mini DP in	N/A
	PS2	2
	DVI-D out	1
	Audio jack	3
	Flash BIOS Button	N/A
	Power	500W
Power	Power Certification	80PLUS BRONZE
	Formfactor	ATX
		POWER SUPPLY
	Туре	POWLN JUFFLI



#### SOBREMESA

## MAG META S 5th

MAG META S 3SI-019XIB

Mouse Interface   N/A		Keyboard Interface	N/A
Accessories    Power Cord	Accessories	-	•
Warranty Card   1		Power Cord	
Quick Guide   2		AC Adaptor	N/A
Quick Guide   2		Warranty Card	1
VESA Mount kit Keyboard Mouse N/A Mouse N/A  Mouse Operating, Storage Temperature O° C ~ 35° C; -20° C ~ 60° C Operating, Storage Humidity Office ~ 85%;0% ~ 90% FCC(Class B) CB/CE UL(CUL) BSMI VCCI RCM(C-Tick) Product Dimension (WxDxH) (mm) Product Dimension (WxDxH) (inch) Inside Carton Dimension (WxDxH) (inch) Inside Carton Dimension Standard (WxDxH) (mm) Outer Carton Dimension Standard (WxDxH) (inch) Weight (Net kg) Weight (Gross kg) Liter Warranty Warranty  N/A  N/A  N/A  N/A  N/A  N/A  N/A  N/		Quick Guide	2
Keyboard   N/A		User Manual	N/A
Mouse  Mouse  Operating, Storage Temperature  O° C ~ 35° C; -20° C ~ 60° C  Operating, Storage Humidity  O% ~ 85%;0% ~ 90%  FCC(Class B) CB/CE UL(CUL) BSMI VCCI RCM(C-Tick)  Product Dimension (WxDxH) (mm) 185.4 x 480.27 x 422.89  Product Dimension (WxDxH) (inch) Inside Carton Dimension (WxDxH) (mm) Inside Carton Dimension (WxDxH) (inch) Inside Carton Dimension (WxDxH) Inside Carton Dimension (WxDxH) Inside Carton Dimension Standard (WxDxH) (mm) Outer Carton Dimension Standard (WxDxH) (inch) Weight (Net kg) Weight (Gross kg) Liter  Warranty  Warranty  N/A  Over Carton Dimension Standard N/A  N/A  Stram x 323mm x 562mm  N/A  N/A  Stram x 323mm x 562mm  Meight (Gross kg) N/A  Liter 37		VESA Mount kit	N/A
Operating, Storage Temperature Operating, Storage Humidity Operating, Storage Temperature Operating, Storage Humidity Operating Association Operation Oper		Keyboard	N/A
Mechanical and Environmental  Regulatory Compliance  Regulatory Compliance  Product Dimension (WxDxH) (mm) Product Dimension (WxDxH) (inch) Inside Carton Dimension (WxDxH) (inch) Outer Carton Dimension Standard (WxDxH) (imch)  Outer Carton Dimension Standard (WxDxH) (imch)  Weight (Net kg) Weight (Gross kg) Liter  Owe ~ 85%;0% ~ 90% FCC(Class B) CB/CE UL(CUL) BSMI VCCI RCM(C-Tick)  185.4 x 480.27 x 422.89 Product Dimension (WxDxH) (inch) 7.3 x 18.91 x 16.65 Inside Carton Dimension (WxDxH) (inch) N/A  577mm x 323mm x 562mm N/A  Weight (Gross kg) N/A  Warranty Warranty Warranty  Ower Carton Dimension Standard (WxDxH) S77mm x 323mm x 562mm		Mouse	N/A
Mechanical and Environmental  Regulatory Compliance  Regulatory Compliance  Product Dimension (WxDxH) (mm) 185.4 x 480.27 x 422.89  Product Dimension (WxDxH) (inch) 7.3 x 18.91 x 16.65  Inside Carton Dimension (WxDxH) (inch) N/A  Outer Carton Dimension Standard (WxDxH) (mm) 577mm x 323mm x 562mm  Outer Carton Dimension Standard (WxDxH) (inch) 577mm x 323mm x 562mm  Weight (Net kg) N/A  Weight (Gross kg) N/A  Liter 37  Warranty Warranty 36months		Operating, Storage Temperature	0° C ~ 35° C ; -20° C ~ 60° C
Mechanical and Environmental  Regulatory Compliance  Regulatory Compliance  Regulatory Compliance  Product Dimension (WxDxH) (mm)  Product Dimension (WxDxH) (inch)  Inside Carton Dimension (WxDxH) (inch)  Inside Carton Dimension (WxDxH) (inch)  Inside Carton Dimension (WxDxH) (inch)  Outer Carton Dimension Standard (WxDxH) (mm)  Outer Carton Dimension Standard (WxDxH) (inch)  Weight (Net kg)  Weight (Gross kg)  Liter  Warranty  N/A  CB/CE  UL(CUL)  BSMI  VCCI  RCM(C-Tick)  185.4 x 480.27 x 422.89  Product Dimension (WxDxH) (inch)  N/A  57.3 x 18.91 x 16.65  N/A  577mm x 323mm x 562mm  777mm x 323mm x 562mm  N/A  Weight (Gross kg)  N/A  Weight (Gross kg)  N/A  Signonths		Operating, Storage Humidity	0% ~ 85%;0% ~ 90%
Product Dimension (WxDxH) (inch)   7.3 x 18.91 x 16.65     Inside Carton Dimension (WxDxH) (mm)   N/A     Inside Carton Dimension (WxDxH) (inch)   N/A     Outer Carton Dimension Standard (WxDxH) (mm)   577mm x 323mm x 562mm     Outer Carton Dimension Standard (WxDxH) (inch)   577mm x 323mm x 562mm     Weight (Net kg)   N/A     Weight (Gross kg)   N/A     Liter   37     Warranty   Warranty   36months		Regulatory Compliance	CB/CE UL(CUL) BSMI VCCI
Inside Carton Dimension (WxDxH) (mm) N/A Inside Carton Dimension (WxDxH) (inch) N/A Outer Carton Dimension Standard (WxDxH) (mm) S77mm x 323mm x 562mm Outer Carton Dimension Standard (WxDxH) (inch) S77mm x 323mm x 562mm Weight (Net kg) N/A Weight (Gross kg) N/A Liter 37 Warranty Warranty 36months		Product Dimension (WxDxH) (mm)	185.4 x 480.27 x 422.89
Inside Carton Dimension (WxDxH) (inch)   N/A		Product Dimension (WxDxH) (inch)	7.3 x 18.91 x 16.65
Dimension&Weight  Outer Carton Dimension Standard (WxDxH) (mm)  Outer Carton Dimension Standard (WxDxH) 577mm x 323mm x 562mm  Outer Carton Dimension Standard (WxDxH) 577mm x 323mm x 562mm  Weight (Net kg) N/A  Weight (Gross kg) N/A  Liter 37  Warranty Warranty 36months		Inside Carton Dimension (WxDxH) (mm)	N/A
Dimension&Weight		Inside Carton Dimension (WxDxH) (inch)	N/A
(inch)         577mm x 323mm x 362mm           Weight (Net kg)         N/A           Weight (Gross kg)         N/A           Liter         37           Warranty         Warranty         36months		, ,	577mm x 323mm x 562mm
Weight (Gross kg)         N/A           Liter         37           Warranty         Warranty         36months			577mm x 323mm x 562mm
Liter 37 Warranty Warranty 36months		Weight (Net kg)	N/A
Warranty Warranty 36months		Weight (Gross kg)	N/A
		Liter	37
Barcode Info EAN 4719072909857	Warranty	Warranty	36months
	Barcode Info	EAN	4719072909857