

# Product datasheet

Specifications

## Easy UPS 3S Battery String



E3SBT4

### Overview

Presentation	Battery string for use with Easy UPS 3S with internal battery slots and Easy UPS 3S Empty Modular Battery Cabinet (E3SXR6). Each battery string consists of four 7.2 Ah battery modules.
Lead Time	Usually Ships within 6 Weeks

### Main

Battery Type	VRLA
--------------	------

### Batteries & Runtime

Number Of Battery Free Slots	0
Number Of Battery Filled Slots	0
Device Mounting	Enclosed battery cartridge
Battery Power In Vah	0 VAh

### Physical

Height	15.7 cm
Width	42.8 cm
Depth	76 cm
Net Weight	108 kg
Mounting Mode	Not rack-mountable

### Environmental

Ambient Air Temperature For Operation	0...40 °C
Operating Altitude	0...3281 ft
Relative Humidity	0...95 % non-condensing
Ambient Air Temperature For Storage	-15...40 °C
Storage Altitude	0.00...15240.00 m
Storage Relative Humidity	0...95 % non-condensing

### Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	18.000 cm

---

Package 1 Width	60.000 cm
Package 1 Length	82.000 cm
Package 1 Weight	137.000 kg

---

## Contractual warranty

---

Warranty	1 year repair or replace
----------	--------------------------

## Sustainability

**Green Premium™ label** is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO<sub>2</sub> products.

[Learn more about Green Premium >](#)



Transparency

---

### Reach Regulation

[REACH Declaration](#)

---

### Eu Rohs Directive

Pro-active compliance (Product out of EU RoHS legal scope)

[EU RoHS Declaration](#)

---

### China Rohs Regulation

[China RoHS declaration](#)

Pro-active China RoHS declaration (out of China RoHS legal scope)

---

### Environmental Disclosure

[Product Environmental Profile](#)

---

### Weee

The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins

---