

Product Specifications



BST151-4T

Synology

Hardware Specs

Capacity	4 TB
Processor	Realtek RTD1619B
Memory	2 GB DDR4
Product dimensions (HxWxD)	148.0 × 62.6 × 196.3mm
Weight	820g
LAN Port	1 × 1GbE RJ-45
External Ports	<ul style="list-style-type: none">• 1 x USB-A 3.2 Gen 1 port• 1 x USB-C 3.2 Gen 1 port
Power Frequency	50/60 Hz, Single Phase
AC Input Power Voltage	100V to 240V AC
Operating environment	<ul style="list-style-type: none">• Temperature: 0°C to 35°C (32°F to 95°F)• Relative humidity: 8% to 80% RH
Storage environment	<ul style="list-style-type: none">• Temperature: -20°C to 60°C (-5°F to 140°F)• Relative humidity: 5% to 95% RH
Power Recovery	Yes
Power Supply Unit / Adapter	36 W
Power Consumption	<ul style="list-style-type: none">• 1.66 W (HDD Hibernation)• 7.84 W (Access)
British Thermal Unit	<ul style="list-style-type: none">• 5.66 BTU/hr (HDD Hibernation)• 26.75 BTU/hr (Access)
Package contents	<ul style="list-style-type: none">• 1 x BeeStation main unit• 1 x AC power adapter• 1 x RJ-45 Ethernet cable• 1 x Quick start guide
Warranty	3 years

Certifications

RoHS, FCC, CE, BSMI, RCM, EAC, UKCA, KC, VCCI, CCC,
BIS

Software Specs

Supported browsers	Google Chrome®, Firefox®, Microsoft Edge®, Safari® 14 and above
BeeStation for desktop	<ul style="list-style-type: none">• Windows 10 64-bit (build 19041 or above)• Windows 11• macOS 12.3 or above
BeeFiles mobile app	<ul style="list-style-type: none">• iOS 16 or above• Android 10 or above
BeePhotos mobile app	<ul style="list-style-type: none">• iOS 16 or above• Android 10 or above
BeeCamera mobile app	Not supported
Interface languages	English, Deutsch, Français, Italiano, Español, Nederlands, Русский, Polski, Čeština, 日本語, 한국어, 繁體中文, 简体中文